


Techpan™



Decorative Fabric Wrapped Custom Acoustical Wall Panels

- High Performance
- Architecturally Decorative
- Custom Engineered & Manufactured
- Reduced Noise & Reverberation

EDGE DETAILS



Square Radius Bevel Half Bevel

MATERIAL: 6 lb. density glass fiber with woven fabric and microperforated vinyl facings.

PATTERN: Flat faced with square or radiused corners, beveled, radiused or mitered edges.

FEATURES: Custom designed and manufactured to meet every need. Flat or curved panels. Soft or hard edges.

APPLICATIONS: Offices, schools, meeting rooms, music rooms, hotels, auditoriums, recording studios, broadcasting studios. Any space where good speech privacy or speech intelligibility is important.

THICKNESS: 1", 1-1/8", 2", 2-1/8" **SIZES:** 2' x 4' and a wide range of custom sizes.

COLOR: A wide range of standard colors for woven fabrics and perforated vinyls.


FLAMMABILITY: ASTM E-84, Class A. Flame Spread: 15, Smoke Developed: 40.

INSTALLATION: Adhesive, hook & loop fasteners, mechanical clips, impaling clips, magnetic clips, splines.




ABSORPTIVE

High performance absorption.




HIGH IMPACT

Absorptive in high traffic areas.




REFLECTIVE

For combined use in studios for absorption and reflection.



MINERAL CORE

multi-purpose panel for absorption and sound blocking.




ABUSE RESISTANT

For gymnasiums, absorption and abuse resistance.




TACKABLE 1

For long lasting and effective tackability.



HI-TACK

High absorption and tackability.



TACKABILITY 2

Tackability where sound absorption is not necessary.



NOISE BARRIER

Barricade vinyl barrier, ideal for areas requiring high STC.

FABRISORB™ WALL PANEL: Sound Absorption Coefficients


7 PCF Glass Fiber	125Hz	250Hz	500Hz	1KHz	2KHz	4KHz	NRC
1"	.14	.27	.80	1.11	1.14	1.14	.85
2"	.22	.81	1.24	1.30	1.21	1.16	1.15



Impaling Clips:

Note: In the pictures below, the adhesive necessary for permanent installation is not shown. Put a bead of PSA-29 panel adhesive around the perimeter of the back of the panel – approx 1/4" bead, as well as a few locations on the back of the panel that will touch the wall between the impaling clips.

1.



Glue or screw impaling clip to the wall and allow to dry completely.

2.



Align panel and impaling clips so that impaling clip touches the fiberglass rather than the fabric wrapped around the back of the panel.

3.






Begin to press impaling clips into the back of the panel.

4.



Press panel all the way onto the impaling clip so the panel is touching the wall making sure that the panel is pressed completely on to each of the impaling clips.



Mechanical Clips (ie. E.C. Clips / E.Z. Clips)



Wall bars attaches to wall with standard screws provided by others.



The panel clip will be screwed into hardened epoxy spots on the backs of the panels.



Please note that due to the clips there will be a small space between the structure and the panel.



CREAT

Note: If panels are being installed overhead, it is advised to use PSA29 adhesive to ensure that the clips do not slide apart.



TECHNATURE™

Technature™ 376 Queen Street East Toronto Ontario M5A 1T1 CANADA (416) 594-6558 info@technature.ca www.technature.ca